



Specifications Noxion LED Panel Delta Pro Pronox V3.0 30W 3960lm - 830 Warm White | 60x60cm - UGR <22 - Dali Dimmable

[View Product](#)

General Information

| | |
|--------------------------|---|
| SKU | 244336 |
| EAN | 8719157036733 |
| Brand | Noxion |
| Manufacturer Name | Noxion LED Panel Delta Pro V3 DALI 30W 3000K 3960lm 60x60cm UGR <22 Warm White - Replaces 4x18W |
| Any Lamp all-in warranty | 6 Years |
| Average Lifetime (h) | 50000 |
| Series | Delta Pro |

Technical Information

| | |
|-----------------------------|--------------------|
| Technology | LED Integrated |
| Replaces (Watt) | 4x18 |
| Wattage | 30 |
| Voltage (V) | 220-240 |
| Dimmable | Dimmable with Dali |
| Colour Code | 830 Warm White |
| Colour temperature (Kelvin) | 3000 Warm White |
| Colour Rendering (Ra) | 80-89 |
| Colour of Light | White |
| Light colour options | Single Color |
| Including bulb | Yes |

| | |
|--------------------------|------------------------|
| Amount of bulbs required | 1 |
| Luminous Flux (Lumen) | 3960 |
| Luminous Efficacy (lm/W) | 132 |
| IP-rating | IP20 |
| Impact Protection (IK) | IK03 - 0.35 joule |
| Fixture Connection | PI [Push-in connector] |
| Finish of Reflector | Frosted |
| Power factor | >0.90 |
| Product Type Category | LED Panel |

Fixture Information

| | |
|-----------------------|--------------------------------|
| Mounting Method | Recessed |
| Unified Glare Rating | < 22 - for general areas |
| Optical Cover | PMMA (Polymethyl methacrylate) |
| Operating Temperature | -10 to +40 |
| Emergency Lighting | No Emergency Unit |
| Colour of the Fixture | White |
| Housing | Aluminium |
| Colour of material | White |

Dimensions

| | |
|----------------|---------|
| LED panel size | 60x60cm |
| Length (mm) | 600 |
| Width (mm) | 600 |
| Height (mm) | 42 |

Sensor Information

Type of sensor

No Sensor

Why Any-lamp?



Order from the **largest lighting specialist** in Europe



Customised quotation



Up to **7 years warranty**



Easy return process

